

NAVASTRID

animal husbandry

www.navastrid.de





**PRODUCT RANGE
FOR SHEEP**



Easy filling with front loader

Rectangular Feeder For Sheep

20 Feed spaces, 1.60 x 1.50 m (L x W), For round bales of hay and silage up to max. of Ø 1.40 m, **Clear width feed access: 19 cm**. One side opens for easy filling by front loader, Adjustable feed front allows complete feed use, Trough for minimal feed loss, Height from ground: 0.50 - 0.60 m

Article.	Article no.	Weight.
Rectangular Feeder For Sheep	16607-22-513	258 Kg



for horned
animals



The rectangular feeder for sheep offers optimum access to feed on all four sides

Rectangular Feeder For Sheep

28 Feed spaces, 1.60 x 1.50 m (L x W), For round bales of hay and silage up to max. of Ø 1.40 m, **Clear width feed access: 9 cm**. One side opens for easy filling by front loader, Adjustable feed front allows complete feed use, Trough for minimal feed loss, Height from ground: 0.50 - 0.60 m

Article.

Rectangular Feeder For Sheep

Rectangular Feeder For Sheep (Low Cost Basic Model)

Article no.

6607-22-517

6607-22-518 B

Weight.

292 Kg

67 Kg





Circular Feeder For Sheep

With 28 feeder For economical provision of round bales up to Ø 1.40 m for sheep. Bales are laid on their flat sides and the 2-part feeder is placed around the bale and joined with 2 connecting rods. below extended version.

Article.	Article no.	Weight.
Circular Feeder For Sheep	6607-22-505	50 Kg
Circular Feeder For Sheep With Extended	6607-22-505 Ext	65 Kg







Circular Feeder For Sheep

With 20 feeder For economical provision of round bales up to Ø 1.40 m for sheep. Bales are laid on their flat sides and the 2-part feeder is placed around the bale and joined with 2 connecting rods. below extended version.

Article.	Article no.	Weight.
Circular Feeder For Sheep	6607-22-507	59 Kg
Circular Feeder For Sheep With Extended	6607-22-507 Ext	68 Kg







Stecfix hurdle, height 0.90 m

Compared to wooden hurdles, Stecfix hurdles are easier to handle, more stable and also more durable in the long run. Easy, quick and tool-free, the Stecfix hurdles can be used in a variety of ways: to build individual and group pens, to create a gathering area in a trapping system

Article.	Article no.	Weight.
Length 1.37 m, 1 central brace	22-01-400	13.0 Kg
Length 1.83 m, 1 central brace	22-01-800	16.5 Kg
Length 2.75 m, 1 central brace	22-01-700	24.0 Kg







Rectangular Feeder For Sheep

Compared to wooden hurdles, Steckfix hurdles are easier to handle, more stable and also more durable in the long run. Easy, quick and tool-free, the Steckfix hurdles can be used in a variety of ways: to build individual and group pens, to create a gathering area in a trapping system with lamb creep

Article.	Article no.	Weight.
Length 1.83 m, with gate	22-01-502	28.0 Kg
Length 2.75 m, 1 central brace with gate	22-01-501	21.0 Kg
Length 1.83 m, with gate lamb creep	22-01-500	20.0 Kg
Length 2.75 m, 1 central brace with lamb creep	22-01-504	28.0 Kg





Steckfix hurdle XL, height 1.10 m

Compared to wooden hurdles, Steckfix hurdles are easier to handle, more stable and also more durable in the long run. Easy, quick and tool-free, the Steckfix hurdles can be used in a variety of ways: to build individual and group pens, to create a gathering area in a trapping system.

Article.

Length 1.37 m, 1 central brace

Length 1.83 m, 1 central brace

Length 2.75 m, 1 central brace

Length 1.83m, 1 central brace with lamb creep

Length 2.75 m, 1 central brace with lamb creep


Length 1.37 m, 1 central brace with gate


Article no.

123456

Weight.

57 Kg








Irish hurdle, height 1.0 m

Compared to wooden hurdles, hurdles are easier to handle, more stable and also more durable in the long run. Easy, quick and tool-free,

Article.	Article no.	Weight.
Length 1.20 m, with one brace	22-02-125	8.0 Kg
Length 1.50 m, with one brace	22-02-126	10.0 Kg
Length 1.80 m, with one brace	22-02-127	12.0 Kg
Length 2.00 m, with one brace	22-02-128	14.0 Kg








Steckfix hurdle, height 0.90 m

Compared to wooden hurdles, Steckfix hurdles are easier to handle, more stable and also more durable in the long run. Easy, quick and tool-free, the Steckfix hurdles can be used in a variety of ways: to build individual and group pens, to create a gathering area in a trapping system

Article.	Article no.	Weight.
Length 1.37 m, 1 central brace	7607-423-006	25.0 Kg
Length 1.83 m, 1 central brace	7607-423-009	35.0 Kg
Length 2.75 m, 1 central brace	7607-423-034	32.0 Kg





Mobile Handling Systems For Sorting

The complete handling system 2 is suitable for catching, treating and sorting of sheep without a special crate.

Article.

1. Length 1.83 m, 1 central brace (Requirement - 27 nos) 7607-404-183
2. Connecting (Requirement - 2 nos)
3. Swing and sliding gate (Requirement - 1 nos) 7607-423-034
4. Sheeted hurdle, 2.75m (Requirement - 4 nos) 7607-403-137


Article no.





Article.

5. Guillotine gate (Requirement - 1 nos)
6. 2- way stop and sort (Req -1 nos)
7. Connection rod (Requirement - 1 nos)

Article no.

7607-423-035









Mobile Handling Systems For Weight

Mobile handling systems play a crucial role in the efficient management of sheep, enabling quick gathering, treatment, identification, and weighing. Due to the year-round demands of sheep husbandry, such handling equipment is essential for sheep owners. A system incorporating a 3-way drafter/weight crate is particularly valuable for catching, handling, and sorting sheep.

Article.	Article no.	Article.	Article no.
1. Length 1.83 m, 1 central brace (Requirement - 27 nos)	7607-404-183	5. Guillotine gate (Requirement - 1 nos)	7607-423-035
2. Connecting (Requirement - 2 nos)		6. Out Sourced (Requirement -1 nos)	
3. Swing and sliding gate (Requirement - 1 nos)	7607-423-034	7. Connection rod (Requirement - 1 nos)	
4. Sheeted hurdle, 2.75m (Requirement - 4 nos)	7607-403-137		





Mobile Handling System For Treatments (Sheep Crush)

The complete handling system 2 is suitable for catching, treating and sorting of sheep without a special crate.

Article.

1. Steckfix-Hurdle with Gate ,1,83 m = 1 nos
2. Steckfix Hurdle , 2,75 m = 6 nos
3. Connecting Rod = 2 nos
4. Swing and Slide Gate = 1 nos
5. Curved Hurdle, sheeted , 1,10 m = 1 nos
6. Curved Hurdle, sheeted , 1,87 m = 3 nos
7. Sheeted Hurdle , 2,75 m = 4 nos

Article no.


- 22-01-501
- 7607-401-800
- 7607
- 7607-423-034
- 7607
- 7607
- 7607-403-137

Article.

8. Guillotine gate = 1 nos
9. Sheep Crush = 1 nos
10. Stop gate = 2 nos
11. 2- way sorting gate = 1 nos
12. Connecting rod = 22
13. Steckfix Hurdle , 1,83 m

Article no.

- 7607-423-035
- 7607
- 7607
- 7607
- 7607
- 7607-01-501






10




2



9




13



11



8





**PRODUCT RANGE
FOR COW & HORSE**



Panel with gate facility, height 1.94 m

Article.


Length 3.00 m with in/out gate

Article no.

7607-634-3.0m-G

Weight.


70 Kg





Panel, height 1.94 m

Article.	Article no.	Weight.
Length 2.40 m with one brace	7607-634-2.4m	42 Kg
Length 3.00 m with one brace	7607-634-3.0m	50 Kg
Length 3.60 m with two brace	7607-634-3.6m	60 Kg





Circular Feeder For Cows & Horse

15 feed spaces, For cattle, Falling fodder lands in the inner area of the trough, Quadruple stabilized feed front tubes, Minimum feed loss, Internal Ø 2,00 m, External Ø 2,60 m, 3-parts

Article.


Circular Feeder m with one
brace

Article no.

7607-634-2.4m
7607-634-3.0m

Weight.

176 Kg
50 Kg





Circular Feeder For Cows & Horse

15 feed spaces, For cattle, Falling fodder lands in the inner area of the trough, Quadruple stabilized feed front tubes, Minimum feed loss, Internal Ø 2,00 m, External Ø 2,60 m, 3-parts

Article.

Circular Feeder m with one
brace

Article no.

7607-634-2.4m
7607-634-3.0m

Weight.

176 Kg
50 Kg





Rectangular Feeder For Horse

15 feed spaces, For cattle, Falling fodder lands in the inner area of the trough, Quadruple stabilized feed front tubes, Minimum feed loss, Internal Ø 2,00 m, External Ø 2,60 m, 3-parts

Article.

Circular Feeder m with one
brace

Article no.

7607-634-2.4m
7607-634-3.0m

Weight.

176 Kg
50 Kg





Weighting System

This installation can be re-arranged as required within the requirements of the modular design.

Article.	Article no.	Weight.
Length 3.00 m with in/out gate	7607-634-3.0m-G	70 Kg
Frame with gate	7607-634-3.0m-G	70 Kg





Mobile Handling Systems For Large Animal Treatment

This installation can be re-arranged as required within the requirements of the modular design. **Cattle Crush** Consisting of : Working Alley, Funnel Crowding Pen, Holding Pen

Article.

1. Length 1.83 m, 1 central brace (Requirement - 27 nos) 7607-404-183
2. Connecting (Requirement - 2 nos)
3. Swing and sliding gate (Requirement - 1 nos) 7607-423-034
4. Sheeted hurdle, 2.75m (Requirement - 4 nos) 7607-403-137




Article no.

Article.

5. Guillotine gate (Requirement - 1 nos)
6. Out Sourced (Requirement -1 nos)
7. Connection rod (Requirement - 1 nos)

Article no.

7607-423-035





Mobile Handling Systems For Large Animal Treatment

This installation can be re-arranged as required within the requirements of the modular design. **Cattle Crush** Consisting of : Working Alley, Funnel Crowding Pen, Holding Pen

Article.

Article no.

1. Length 1.83 m, 1 central brace (Requirement - 27 nos) 7607-404-183
2. Connecting (Requirement - 2 nos)
3. Swing and sliding gate (Requirement - 1 nos) 7607-423-034
4. Sheeted hurdle, 2.75m (Requirement - 4 nos) 7607-403-137

Article.

Article no.

5. Guillotine gate (Requirement - 1 nos) 7607-423-035
6. Out Sourced (Requirement -1 nos)
7. Connection rod (Requirement - 1 nos)







Irish Field Gate, height 1.2 m

Frame : 41.2 x 1.5mm, Filler bars: 28 x 1.2mm , Vertical Section: 40 x 20 x 1.5mm with radius corners, Gate Front: 41.2 x 1.75mm

Hot Dip Galvanized

Sizes Available Length

3', 4', 5', 6', 7', 8', 9', 10', 11', 12', 13', 14', 15', 16'






Irish Post To Fix Field Gate

Easier to handle, more stable and also more durable in the long run. Easy, quick and tool-free,

Article.	Article no.	Weight.
Length 1.37 m, 1 central brace	123456	13.0 Kg
Length 1.83 m, 1 central brace	123456	16.5 Kg
Length 2.75 m, 1 central brace		24.0 Kg





the products shown in this catalogue
designed & manufactured by NavAstrid in chennai

www.navastrid.de

chennai, tamilnadu - 602024. INDIA